

COLUMN
300 HORIZONTAL — P


PENDANT


A—N—D

Designed by Lukas Peet — 2022









A-N-D.COM

TYPE
Pendant

DIMENSIONS (PER 1 UNIT)
Ø 27.5cm x 29.5cm / Ø 10.75” x 11.5”

Adjustable drop length
244cm / 96” –Custom length available

Weight
5.3kg / 11.7lbs

3D MODELS ON A-N-D.COM
REVIT, IES, DWG, 3DS, Rhino, Sketchup

CERTIFICATIONS
Application: dry indoor location only

TECHNICAL INFORMATION
Input Voltage
110–120V, 220–240V, 110–277V

Lamping
12W 24V DC LED (PER UNIT)
CRI 90+, 50,000 hours

Lumens
711 lumens delivered (PER UNIT)

Controls
Phase dimming, 0–10V, DALI

COLOUR TEMPERATURE OPTIONS
Warm — Neutral
2700K — 3000K — 3500K

DIM TO WARM
Warm / DIM - — Bright / DIM +
1800K — 3000K

MANUFACTURED
Canada

MATERIALS
Glass, Aluminum

FINISHES

Carbon (CBN)


Ivory (IVO)


Amber (AMB)

SERIES	SIZE	UNIT	TYPE		FINISH	CCT	PS	VOLTAGE IN
COL	300	☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 8 ☐ 10 ☐ 12	P	H	☐ CBN (CARBON) ☐ IVO (IVORY) ☐ AMB (AMBER)	☐ 27 (2700K) ☐ 30 (3000K) ☐ 35 (3500K) ☐ DW (DIM TO WARM)	☐ ELV ☐ 010 ☐ DAL	☐ 120 ☐ 230 ☐ 277*

*277 only available with 010

Modified: 03/21/25
©2025 ANDSTUDIO DESIGNS INC.
All Rights Reserved.

1951 Franklin St
Vancouver, B.C.
Canada V5L 0C7


+1 604 563 6938
INFO@A-N-D.COM
A-N-D.COM

COLUMN
300 HORIZONTAL — P


PENDANT

A—N—D


☐ COL-300-3-P-H




☐ COL-300-4-P-H



☐ COL-300-5-P-H



☐ COL-300-6-P-H



 Modified: 03/21/25
©2025 ANDSTUDIO DESIGNS INC.
All Rights Reserved.

1951 Franklin St
Vancouver, B.C.
Canada V5L 0C7


+1 604 563 6938
INFO@A-N-D.COM
A-N-D.COM

COLUMN
300 HORIZONTAL — P


PENDANT

A—N—D


☐ COL-300-8-P-H



☐ COL-300-10-P-H



☐ COL-300-12-P-H



 Modified: 03/21/25
©2025 ANDSTUDIO DESIGNS INC.
All Rights Reserved.

1951 Franklin St
Vancouver, B.C.
Canada V5L 0C7

+1 604 563 6938
INFO@A-N-D.COM
A-N-D.COM