DATASHEET

Type: **DOUBLE**
Name: Pendent light
ID: PC1293
Designed by: LCM MARIN design studio

Download

Description

Double, a new collection of pendent lights, is based on a shape consisting of two elements made from two different materials – glass and lightweight aluminium. These elements depend on one another to generate a unique and consonant form. The glass globe terminating in a metal ring provides a suggestive effect, with the handle on top alluding to the idea of transporting the light. In the pendent variant, which is available in three different shapes, the upper metal section with wire rope seeks equilibrium in the scattered light and shadows as they pass through the lower metal ring and globe, the latter crafted from multiple layers of molten glass that are carefully scrutinized by the master glassmaker prior to blowing. The luminance of the LED light source is softened by an opal diffusor. By virtue of its scope, the Double collection is ideal for private interiors and works very well in large compositions and colour combinations.



Tech. description


The luminaire consists of a glass shade, metal frame with integrated LED module, metal caps, metal printout on the lower edge of the screen, supply cable and steel cable. The luminaire is suspended from the ceiling canopy by means of a supporting steel cable.

Available colour options: https://mbapi.cz/red/pis/eu/en/pc1293

CONSTRUCTION SPECIFICATION

Weight:	6 kg
Construction material:	glass, metal
Cord length [mm]:	2,200 mm
Mounting:	Ceiling
Environment:	Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]:	100 - 240 V
Freqvency [Hz]:	50-60 Hz
Max. power [W]:	9.4 W
Coverage IP:	20
Socket:	LED module
Light source:	-
Energy class:	E

CERTIFICATIONS

BROKIS®

BROKIS S.R.O.
ŠPANIELOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

DATASHEET

Type: **DOUBLE**
Name: Pendent light
ID: PC1294
Designed by: LCM MARIN design studio

Download

Description

Double, a new collection of pendent lights, is based on a shape consisting of two elements made from two different materials – glass and lightweight aluminium. These elements depend on one another to generate a unique and consonant form. The glass globe terminating in a metal ring provides a suggestive effect, with the handle on top alluding to the idea of transporting the light. In the pendent variant, which is available in three different shapes, the upper metal section with wire rope seeks equilibrium in the scattered light and shadows as they pass through the lower metal ring and globe, the latter crafted from multiple layers of molten glass that are carefully scrutinized by the master glassmaker prior to blowing. The luminance of the LED light source is softened by an opal diffusor. By virtue of its scope, the Double collection is ideal for private interiors and works very well in large compositions and colour combinations.



Tech. description


The luminaire consists of a glass shade, metal frame with integrated LED module, metal caps, metal printout on the lower edge of the screen, supply cable and steel cable. The luminaire is suspended from the ceiling canopy by means of a supporting steel cable.

Available colour options: https://mbapi.cz/red/pis/eu/en/pc1294

CONSTRUCTION SPECIFICATION

DIMENSIONS [mm]

Weight:	6 kg
Construction material:	glass, metal
Cord length [mm]:	2,200 mm
Mounting:	Ceiling
Environment:	Indoor



ELECTRICAL SPECIFICATION

CERTIFICATIONS

Input voltage [V]:	100 - 240 V
Freqvency [Hz]:	50-60 Hz
Max. power [W]:	9.4 W
Coverage IP:	20
Socket:	LED module
Light source:	-
Energy class:	E

BROKIS®

BROKIS S.R.O.
ŠPANIELOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

DATASHEET

Type: **DOUBLE**
Name: Pendent light
ID: PC1295
Designed by: LCM MARIN design studio

Download

Description

Double, a new collection of pendent lights, is based on a shape consisting of two elements made from two different materials – glass and lightweight aluminium. These elements depend on one another to generate a unique and consonant form. The glass globe terminating in a metal ring provides a suggestive effect, with the handle on top alluding to the idea of transporting the light. In the pendent variant, which is available in three different shapes, the upper metal section with wire rope seeks equilibrium in the scattered light and shadows as they pass through the lower metal ring and globe, the latter crafted from multiple layers of molten glass that are carefully scrutinized by the master glassmaker prior to blowing. The luminance of the LED light source is softened by an opal diffusor. By virtue of its scope, the Double collection is ideal for private interiors and works very well in large compositions and colour combinations.



Tech. description


The luminaire consists of a glass shade, metal frame with integrated LED module, metal caps, metal printout on the lower edge of the screen, supply cable and steel cable. The luminaire is suspended from the ceiling canopy by means of a supporting steel cable.

Available colour options: https://mbapi.cz/red/pis/eu/en/pc1295

CONSTRUCTION SPECIFICATION

DIMENSIONS [mm]

Weight:	6.1 kg
Construction material:	glass, metal
Cord length [mm]:	2,200 mm
Mounting:	Ceiling
Environment:	Indoor



ELECTRICAL SPECIFICATION

CERTIFICATIONS

Input voltage [V]:	100 - 240 V
Freqvency [Hz]:	50-60 Hz
Max. power [W]:	9.4 W
Coverage IP:	20
Socket:	LED module
Light source:	-
Energy class:	E

BROKIS®


BROKIS S.R.O.
ŠPANIELOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ


DATASHEET
LED SOURCE

Download



CM14897 DOUBLE_LED modul - 70mm/9,4W - DNA_24V/RA90/2700k

Type	LED module
Lamp wattage [W]	9.4 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	1060 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes




CM17106 DOUBLE_LED modul/70mm/ LUXEON/9,4W - DNA_24V/RA90/1800K/ 6500K

Type	LED module
Lamp wattage [W]	9.4 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	763-1233 lm
Light colour [K]	1800-6500 K
CRI	90+
Dimmable	yes


DATASHEET
FIXING
INNER FIXTURE

Download

Dimensions O x w [mm]	180 x 50 mm
Weight [kg]	1.3 kg
Material	metal



Drawing



Hole placement

