

Track





MX1 Surface Mounted Track

End Cap






MX1 Surface Mounted End Cap

Connectors






MX1 Live End Connector






MX1 Mini Straight Joiner






MX1 Centre Feed






MX1 L-Connector





MX1 T-Connector





MX1 Cross Connector

		Length	Maximum Load Bearing
1	**MX1 Surface Mounted Track**	1000mm, 2000mm	30kg/m
	MX1 Suspended Track	1000mm, 2000mm	20kg/m


Key Information	
Mounting	Ceiling Surface, Ceiling Suspended
Finish	■ Textured Black □ Textured White
Warranty	3 Years
Track Mount	Single Circuit (1C)


Design	
Material	Powder Coated Aluminium
IP Rating	IP20

Available Accessories
3m Wire Suspension Kit
3m/5m Canopy Kit

Notes
All MX1 Track is supplied with two end caps for a simple end-to-end solution.
Final load bearings are dependent on screws and mounting anchors used. It is the responsibility of the electrical contractor to check final weights.


Track






MX3 Surface Mounted Track


End Cap







MX3 Surface Mounted End Cap


Connectors






MX3 Live End Connector






MX3 Mini Straight Joiner







MX3 Centre Feed






MX3 L-Connector (Left, Right)






MX3 T-Connector (Left 1, Left 2, Right 1, Right 2)





MX3 Cross Connector





MX3 Flexible Connector

		Length	Maximum Load Bearing
1	**MX3 Surface Mounted Track**	1000mm, 2000mm, 3000mm	30kg/m
	MX3 Suspended Track	1000mm, 2000mm, 3000mm	20kg/m

Key Information	
Mounting	Ceiling Surface, Ceiling Suspended
Finish	■ Textured Black □ Textured White
Warranty	5 Years
Track Mount	Three Circuit (3C)

Design	
Material	Powder Coated Aluminium
IP Rating	IP20

Available Accessories
End Cap
3m/5m Wire Suspension Kit
3m/5m Canopy Kit
Rod Suspension Kit
250/510mm Rod
Track Cover Plate

Notes


All accessories are supplied separately. Please factor in these components when planning your track design.

Final load bearings are dependent on screws and mounting anchors used. It is the responsibility of the electrical contractor to check final weights.

Track



1



MX3 Recessed Track

End Cap






MX3 Recessed End Cap

Connectors






MX3 Recessed Live End Connector






MX3 Mini Straight Joiner






MX3 Recessed Centre Feed






MX3 Recessed L-Connector





MX3 Recessed T-Connector





MX3 Recessed Cross Connector

		Length	Maximum Load Bearing
1	**MX3 Recessed Track**	1000mm, 2000mm, 3000mm	30kg/m

Key Information	
Mounting	Ceiling Recessed
Finish	■ Textured Black □ Textured White
Warranty	5 Years
Track Mount	Three Circuit (3C)


Design	
Material	Powder Coated Aluminium
IP Rating	IP20

Available Accessories
End Cap
Swing Clip
Track Cover Plate

Notes
All accessories are supplied separately. Please factor in these components when planning your track design.
Final load bearings are dependent on screws and mounting anchors used. It is the responsibility of the electrical contractor to check final weights.

MX5

Track





MX5 Surface Mounted Track

End Cap






MX5 Surface Mounted End Cap

Connectors






MX5 Live End Connector






MX5 Mini Straight Joiner






MX5 Centre Feed







MX5 L-Connector (Left, Right)






MX5 T-Connector (Left 1, Left 2, Right 1, Right 2)





MX5 Cross Connector





MX5 Flexible Connector

		Length	Maximum Load Bearing
1	**MX5 Surface Mounted Track**	1000mm, 2000mm, 3000mm	30kg/m
	MX5 Suspended Track	1000mm, 2000mm, 3000mm	20kg/m

Key Information	
Mounting	Ceiling Surface, Ceiling Suspended
Finish	■ Textured Black □ Textured White
Warranty	5 Years
Track Mount	Three Circuit DALI (5C)

Design	
Material	Powder Coated Aluminium
IP Rating	IP20

Available Accessories
End Cap
3m/5m Wire Suspension Kit
3m/5m Canopy Kit
Rod Suspension Kit
250/510mm Rod
Track Cover Plate


Notes


All accessories are supplied separately. Please factor in these components when planning your track design.

Final load bearings are dependent on screws and mounting anchors used. It is the responsibility of the electrical contractor to check final weights.

MX5


Track





MX5 Recessed Track


End Cap







MX5 Recessed End Cap


Connectors







MX5 Recessed Live End Connector






MX5 Mini Straight Joiner







MX5 Recessed Centre Feed







MX5 Recessed L-Connector





MX5 Recessed T-Connector





MX5 Recessed Cross Connector

		Length	Maximum Load Bearing
1	**MX5 Recessed Track**	1000mm, 2000mm, 3000mm	30kg/m

Key Information	
Mounting	Ceiling Recessed
Finish	■ Textured Black □ Textured White
Warranty	5 Years
Track Mount	Three Circuit DALI (5C)

Design	
Material	Powder Coated Aluminium
IP Rating	IP20

Available Accessories
End Cap
Swing Clip
Track Cover Plate

Notes

All accessories are supplied separately. Please factor in these components when planning your track design.

Final load bearings are dependent on screws and mounting anchors used. It is the responsibility of the electrical contractor to check final weights.