Palo alto

4510


DesignBy Xuclà

PALO ALTO is an outdoor lamp shaped as a beacon. Designed by Josep Lluís Xuclà, it is available in two colours.

Model Sheet







Finish	29 Brown D1 NCS S 8005-Y50R
	22 Graphite NCS S 8000-N
LED	2700 K / 3500 K
Control	On / Off
Electrical connection	Surface
Light source	2 x LED 2.2W 700mA G
LED	CRI>90 362 lm 82.27
Driver	Constant Current 700 mA 100~240 V 50/60 Hz F IP65 Bi-volt 50-60Hz
Application	Outdoor
Packaging	1 Box 1.108 m x 0.408 m x 0.446 m Gross weigth 10.5 kg Net weigth 9.99 kg Vol. 0.2016 m3


Lighting effect


Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data





Efficiency	22.19 lm/W
Coordinate System	CG
Total Flux	89.82 lm
Maximum Value	64.52 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Palo alto

4516


DesignBy Xuclà

PALO ALTO is a tall right angled outdoor lamp. Designed by Josep Lluís Xuclà, it is available in two colours.

Model Sheet







Finish	29 Brown D1 NCS S 8005-Y50R
	22 Graphite NCS S 8000-N
LED	2700 K / 3500 K
Control	On / Off
Electrical connection	Surface
Light source	1 x LED MODULE 24V 15W
	G
LED	CRI>90 1044.95 lm 70
Driver	Constant Voltage 100~277 V 50/60 Hz
	F LED IP65 Multi-volt 50-60Hz
	4516 _ _ / _ 0: On/ Off
Application	Outdoor
Packaging	1 Box 2.92 m x 0.32 m x 0.315 m Gross weigth 18.4 kg Net weigth 16.56 kg Vol. 0.2943 m3


Lighting effect


Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data





Efficiency	59.86 lm/W
Coordinate System	CG
Total Flux	989.94 lm
Maximum Value	3891 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Palo alto

4539


DesignBy Xuclà

PALO ALTO is a tree-shaped outdoor lamp with double lighting. Designed by Josep Lluís Xuclà, it is available in two colours.

Model Sheet







Finish	22 Graphite NCS S 8000-N
	29 Brown D1 NCS S 8005-Y50R
LED	2700 K / 3500 K
Control	On / Off
Electrical connection	Surface
	G
LED	CRI>90 2076.32 lm 69
Driver	Constant Voltage 127~370 V 50/60 Hz
	F LED IP65 Multi-volt 50-60Hz
	4539_ _ / _ 0: On/ Off
Application	Outdoor
Packaging	1 Box 0.39 m x 0.39 m x 3.2 m Gross weigth 46.4 kg Net weigth 41.76 kg Vol. 0.4867 m3


Lighting effect


Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data





Efficiency	100 lm/W
Coordinate System	CG
Total Flux	1972.11 lm
Maximum Value	3928.92 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Palo alto

4540


DesignBy Xuclà

PALO ALTO is a tree-shaped outdoor lamp with triple lighting. Designed by Josep Lluís Xuclà, it is available in two colours.

Model Sheet







Finish	29 Brown D1 NCS S 8005-Y50R 22 Graphite NCS S 8000-N
LED	2700 K / 3500 K
Control	On / Off
Electrical connection	Surface
	G
LED	CRI>90 3045.38 lm 68
Driver	Constant Voltage 127~370 V 50/60 Hz IP65 Multi-volt 50-60Hz
	4540_ _ / _ 0: On/ Off
Application	Outdoor
Packaging	1 Box 0.39 m x 0.39 m x 3.2 m Gross weigth 55.4 kg Net weigth 49.86 kg Vol. 0.4867 m3


Lighting effect


Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data





Efficiency	100 lm/W
Coordinate System	CG
Total Flux	2979.29 lm
Maximum Value	3892.74 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com