Puck wall art

5470


DesignBy JordiVilardell

A versatile wall sconce that creates a visual game of warm light with spheres. Designed by Jordi Vilardell. Available in different finishes including lacquered aluminium and felt.

Model Sheet







Finish	21 Black Grey NCS S 7000-N
	77 Grey Felt D1
	28 Brown M1 NCS S 4020-Y60R
	15 Grey L2 NCS S 2500-N
	76 Grey Felt L1
LED	2700K/ 3500 K
Control	Casambi / TRIAC / Push / DALI-2 /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 8,4W 700mA E
LED	CRI>90 952.48 lm 87.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
Remarks	F Dimmable LED IP20 Bi-volt 50-60Hz A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.48 m x 0.48 m x 0.115 m Gross weigth 1.7 kg Net weigth 1.6 kg Vol. 0.0264 m3


Lighting effect


360° Surface Grazer

Full-circle grazing light.



Photometric Data





All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Puck wall art

5471

DesignBy JordiVilardell

A versatile wall sconce that creates a visual game of warm light with spheres. Designed by Jordi Vilardell. Available in different finishes including lacquered aluminium and felt.

Model Sheet







Finish	76 Grey Felt L1
	28 Brown M1 NCS S 4020-Y60R
	15 Grey L2 NCS S 2500-N
	21 Black Grey NCS S 7000-N
	77 Grey Felt D1
LED	2700K/3500 K
Control	DALI-2 / Casambi / 1-10V / TRIAC /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 12,6W 700mA E
LED	CRI>90 1435.94 lm 94.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
Remarks	F Dimmable LED IP20 Bi-volt 50-60Hz A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.48 m x 0.48 m x 0.115 m Gross weigth 1.7 kg Net weigth 1.6 kg Vol. 0.0264 m3


Lighting effect


360° Surface Grazer

Full-circle grazing light.



Photometric Data





All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Puck wall art

5472

DesignBy JordiVilardell

A versatile wall sconce that creates a visual game of warm light with spheres. Designed by Jordi Vilardell. Available in different finishes including lacquered aluminium and felt.

Model Sheet







Finish	21 Black Grey NCS S 7000-N
	76 Grey Felt L1
	77 Grey Felt D1
	15 Grey L2 NCS S 2500-N
	28 Brown M1 NCS S 4020-Y60R
LED	2700 K / 3500 K
Control	Casambi / TRIAC / Push / DALI-2 /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 12,6W 700mA
	E
LED	CRI>90 1435.94 lm 94.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable LED IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.15 m Gross weigth 3.4 kg Net weigth 2.25 kg Vol. 0.0693 m3


Lighting effect


360° Surface Grazer

Full-circle grazing light.



Photometric Data





All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com


Puck wall art

5474


DesignBy JordiVilardell

Wall sconce featuring two superimposed discs. Lightly concave in form with different diameters, the larger contains the smaller one physically as well as luminously while diffusing the light emitted.

Model Sheet







Finish	15 Grey L2 NCS S 2500-N
	76 Grey Felt L1
	28 Brown M1 NCS S 4020-Y60R
	21 Black Grey NCS S 7000-N
	71 Grey Felt L1
LED	2700 K / 3500 K
Control	Casambi / DALI-2 / 1-10V / TRIAC /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 8,4W 700mA
	E
LED	CRI>90 952.48 lm 87.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable LED IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.12 m Gross weigth 3.8 kg Net weigth 2.25 kg Vol. 0.0554 m3


Lighting effect


Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the



Photometric Data





All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Puck wall art


5476


DesignBy JordiVilardell

Wall sconce featuring two superimposed discs. Lightly concave in form with different diameters, the larger contains the smaller one physically as well as luminously while diffusing the light emitted.

Model Sheet







Finish	15 Grey L2 NCS S 2500-N
	28 Brown M1 NCS S 4020-Y60R
	76 Grey Felt L1
	71 Grey Felt L1
	21 Black Grey NCS S 7000-N
LED	2700 K / 3500 K
Control	Casambi / Push / 1-10V / TRIAC /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 12,6W 700mA
	E
LED	CRI>90 1435.94 lm 94.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable LED IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.12 m Gross weigth 6.3 kg Net weigth 2.9 kg Vol. 0.0554 m3


Lighting effect


Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the



Photometric Data





All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Puck wall art


5480


DesignBy JordiVilardell

Wall sconce formed by two circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

Model Sheet








Finish	15 Grey L2 NCS S 2500-N
	76 Grey Felt L1
	72 Grey D1 & NCS S 7000-N &
	28 Brown M1 NCS S 4020-Y60R
	71 Grey Felt L1
LED	2700 K / 3500 K
Control	TRIAC / 1-10V / Push / Casambi /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 12,6W 700mA
Light source	1 x LED STRIP 12,6W 700mA
	E
LED	CRI>90 2388.4 lm 91.3
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable LED IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.48 m x 0.48 m x 0.155 m Gross weigth 6.1 kg Net weigth 3.4 kg Vol. 0.0357 m3


Lighting effect


360° Surface Grazer

Full-circle grazing light.



Photometric Data





Efficiency	53.37 lm/W
Coordinate System	CG
Total Flux	1366.61 lm
Maximum Value	330.80 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Puck wall art


5481


DesignBy JordiVilardell

Wall sconce formed by two circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

Model Sheet







Finish	15 Grey L2 NCS S 2500-N
	71 Grey Felt L1
	28 Brown M1 NCS S 4020-Y60R
	72 Grey D1 & NCS S 7000-N &
	76 Grey Felt L1
LED	2700 K / 3500 K
Control	TRIAC / Push / 1-10V / Casambi /
Electrical connection	Surface Canopy
Light source	2 x LED STRIP 12,6W 700mA
	E
LED	CRI>90 2871.9 lm 94.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.2 m Gross weigth 5.2 kg Net weigth 4.15 kg Vol. 0.0924 m3


Lighting effect


360° Surface Grazer

Full-circle grazing light.



Photometric Data





Efficiency	56.12 lm/W
Coordinate System	CG
Total Flux	1664.84 lm
Maximum Value	365.39 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com


Puck wall art


5485


DesignBy JordiVilardell

Wall sconce formed by two circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

Model Sheet







Finish	71 Grey Felt L1
	73 Brown M1 & NCS S 4020-Y60R
	72 Grey D1 & NCS S 7000-N &
LED	2700 K / 3500 K
Control	1-10V / Casambi / TRIAC / Push /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 12,6W 700mA
Light source	1 x LED STRIP 12,6W 700mA
	E
LED	CRI>90 2388.4 lm 91.3
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.2 m Gross weigth 5.9 kg Net weigth 4.22 kg Vol. 0.0924 m3


Lighting effect


Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the



Photometric Data





Efficiency	37.02 lm/W
Coordinate System	CG
Total Flux	947.03 lm
Maximum Value	207.68 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com


Puck wall art


5486


DesignBy JordiVilardell

Wall sconce formed by two circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

Model Sheet







Finish	73 Brown M1 & NCS S 4020-Y60R
	71 Grey Felt L1
	72 Grey D1 & NCS S 7000-N &
LED	2700 K / 3500 K
Control	DALI-2 / TRIAC / Push / 1-10V /
Electrical connection	Surface Canopy
Light source	2 x LED STRIP 12,6W 700mA
	E
LED	CRI>90 2871.9 lm 94.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
Remarks	Dimmable IP20 Bi-volt 50-60Hz A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.25 m Gross weigth 11.35 kg Net weigth 5.45 kg Vol. 0.1156 m3


Lighting effect


Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the



Photometric Data





Efficiency	34.56 lm/W
Coordinate System	CG
Total Flux	1024.92 lm
Maximum Value	192.03 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com


Puck wall art

5487


DesignBy JordiVilardell

Wall sconce formed by two circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

Model Sheet







Finish	71 Grey Felt L1
	73 Brown M1 & NCS S 4020-Y60R
	21 Black Grey NCS S 7000-N
LED	2700 K / 3500 K
Control	TRIAC / 1-10V / Casambi / Push /
Electrical connection	Surface Canopy
Light source	1 x LED STRIP 8,4W 700mA
Light source	1 x LED STRIP 8,4W 700mA
	E
LED	CRI>90 2388.4 lm 91.3
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	F Dimmable LED IP20 Bi-volt 50-60Hz
Remarks	A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.25 m Gross weigth 11.52 kg Net weigth 5.62 kg Vol. 0.1156 m3


Lighting effect


Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the



Photometric Data





Efficiency	27.95 lm/W
Coordinate System	CG
Total Flux	1131.19 lm
Maximum Value	203.80 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Puck wall art


5491


DesignBy JordiVilardell

Wall sconce formed by three circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

Model Sheet







Finish	73 Brown M1 & NCS S 4020-Y60R 71 Grey Felt L1 72 Grey D1 & NCS S 7000-N &
LED	2700 K / 3500 K
Control	Casambi / Push / TRIAC / 1-10V /
Electrical connection	Surface Canopy
Light source	3 x LED STRIP 12,6W 700mA E
LED	CRI>90 4307.8 lm 94.22
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
Remarks	F Dimmable IP20 Bi-volt 50-60Hz A maximum of 8 modules can be connected to a single connection point. For bigger compositions, check
Application	Wall
Packaging	1 Box 0.68 m x 0.68 m x 0.355 m Gross weigth 14.85 kg Net weigth 7.35 kg Vol. 0.1641 m3


Lighting effect


Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the



Photometric Data





All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com