
Tekiò Vertical

Anthony Dickens. 2017
Pendant lamps






IP 20

Tekiò Vertical is a sculptural solution for spaces with varying heights, bathing them in a uniform light. Configurable from one to four modules, it highlights any corner, and its adaptable light source allows you to create the perfect atmosphere for any occasion.

General description:
Washi Japanese paper shade.
Metal structure.
Structure length:
(A) 67 cm / 26.4”
(B) 120 cm / 47.2”
(C) 173 cm / 68.1”
(D) 226 cm / 89”
White grey metallic circular ceiling plate with power supply incorporated.
Electric cable length: 5 m / 196.8”

Approximate weight (unpacked):
(A) Tekiò Vertical P1: 3 kg / 6.6 lb
(B) Tekiò Vertical P2: 4,5 kg / 9.9 lb
(C) Tekiò Vertical P3: 6 kg / 13.2 lb
(D) Tekiò Vertical P4: 7,5 kg / 16.5 lb

Technical information:
Dimmable light source included
LED Module



(A)
Rated input wattage: 36,1 W
Luminous flux: 1.251 lm

(B)
Rated input wattage: 65,4 W
Luminous flux: 2.190 lm

(C)
Rated input wattage: 95,3 W
Luminous flux: 3.128 lm

(D)
Rated input wattage: 102,7 W
Luminous flux: 4.067 lm

(A, B, C, D)
Operating voltage: 24VDC
CCT: 2.200 K - 2.700 K
CRI: 90
Lifetime: 40.000 h

European version: suitable for dimming 1-10V / DALI / CASAMBI.
Not included external dimmer switch.
American version: suitable for dimming 0-10V. Not included external dimmer switch 0-10V.
Dim to Warm control 2200 K– 2700 K

Suitable only for indoor use.
Always use this light source.

Input voltage: 100 ~ 277 Vac.
(50 Hz / 60 Hz). According to destination.

Regulations:
European version
UNE-EN 60598
UNE-EN 55015
UNE-EN 60529

American version
Dry location only
UL-1598
UL-8750
E-336377


Maintenance:
Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

Others:
The lamp is delivered in different packages.
The assembly instructions are delivered with the product.

Models / Codes: European Version


CE

Tekiò Vertical P1




Code	Dimming
TKVPA01	1-10 V
TKVPA01D	DALI
TKVPA01C	CASAMBI

Tekiò Vertical P2




Code	Dimming
TKVPB01	1-10 V
TKVPB01D	DALI
TKVPB01C	CASAMBI

Tekiò Vertical P3



Code	Dimming
TKVPC01	1-10 V
TKVPC01D	DALI
TKVPC01C	CASAMBI


Tekiò Vertical P4



Code	Dimming
TKVPD01	1-10 V
TKVPD01D	DALI
TKVPD01C	CASAMBI


Models / Codes: American Version

Tekiò Vertical P1




Code	Dimming
TKVPA01UL	0-10 V

Tekiò Vertical P2




Code	Dimming
TKVPB01UL	0-10 V

Tekiò Vertical P3



Code	Dimming
TKVPC01UL	0-10 V

Tekiò Vertical P4



Code	Dimming
TKVPD01UL	0-10 V

Collection:
Pendant lamps


Tekiò Vertical


Tekiò Horizontal


Tekiò Circular