
CREATIVE
LIGHTING SOLUTIONS

Tidal Ceiling Light

Specifications

MATERIAL	Powder Coated Spun Steel Shade, PET Diffuser, Steel
FINISH	Cream White | Matte Black | Berry | Custom Powder Coat (On Request)
DIMENSIONS	Small: Ø510mm H158mm | Medium: Ø649mm H158mm | Large: Ø789mm H158mm
LIGHT SOURCE	Integrated LED 27.7W
COLOUR TEMPERATURE	2700K | 3000K | 3500K
LED LIFETIME	50,000h
CRI	>90
LUMENS	2400lm (@ 2700K)
DRIVER	Remote Driver Included
DIMMING	1-10 | DALI | Phase Dimming
IP RATING	IP20
LEAD TIME	Special Order Item - 8 - 10 weeks






CREATIVE
LIGHTING SOLUTIONS

Tidal Ceiling Light

Specifications

MATERIAL	Powder Coated Spun Steel Shade, PET Diffuser, Steel
FINISH	Cream White | Matte Black | Berry | Custom Powder Coat (On Request)
DIMENSIONS	Small: Ø510mm H158mm | Medium: Ø649mm H158mm | Large: Ø789mm H158mm
LIGHT SOURCE	Integrated LED 27.7W
COLOUR TEMPERATURE	2700K | 3000K | 3500K
LED LIFETIME	50,000h
CRI	>90
LUMENS	2400lm (@ 2700K)
DRIVER	Remote Driver Included
DIMMING	1-10 | DALI | Phase Dimming
IP RATING	IP20
LEAD TIME	Special Order Item - 8 - 10 weeks





CREATIVE
LIGHTING SOLUTIONS

Tidal Ceiling Light

Specifications

MATERIAL	Powder Coated Spun Steel Shade, PET Diffuser, Steel
FINISH	Cream White | Matte Black | Berry | Custom Powder Coat (On Request)
DIMENSIONS	Small: Ø510mm H158mm | Medium: Ø649mm H158mm | Large: Ø789mm H158mm
LIGHT SOURCE	Integrated LED 27.7W
COLOUR TEMPERATURE	2700K | 3000K | 3500K
LED LIFETIME	50,000h
CRI	>90
LUMENS	2400lm (@ 2700K)
DRIVER	Remote Driver Included
DIMMING	1-10 | DALI | Phase Dimming
IP RATING	IP20
LEAD TIME	Special Order Item - 8 - 10 weeks



