Wind


DesignBy JordiVilardell

Floor lamp for outdoor use. Designed by Jordi Vilardell. The choice of a material, glass fibre, which is produced industrially by means of an innovative use of filament winding technology, gives this collection an appearance which unites technology with tradition.

Model Sheet







Finish	61 Ocre Red NCS S 3050-Y60R
	27 Sand NCS S 1505-Y50R
	53 Green M1 NCS S 6005-G80Y
LED	2700 K
Control	On / Off
Electrical connection	Surface
Light source	1 x LED PLATE 25W 700mA D
LED	CRI>90 3480 lm 139.2
Driver	Constant Current 700 mA 110~240 V 50/60 Hz F LED IP64 Bi-volt 50-60Hz
Remarks	Portable version
Application	Outdoor
Packaging	2 Box 0.64 m x 0.6 m x 2.11 m Gross weigth 44.7 kg Net weigth 40.23 kg Vol. 1.0885 m3


Lighting effect


Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data





Efficiency	36.07 lm/W
Coordinate System	CG
Total Flux	741.34 lm
Maximum Value	317.81 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Wind


DesignBy JordiVilardell

WIND is a floor lamp with fibreglass shade and an avant-garde look. It is suitable for both interior and exterior. Designed by Jordi Vilardell.

Model Sheet







Finish	53 Green M1 NCS S 6005-G80Y
	27 Sand NCS S 1505-Y50R
	61 Ocre Red NCS S 3050-Y60R
LED	2700 K
Control	On / Off
Electrical connection	Surface
Light source Light source	3 x LED PLATE 25W 700mA 3 x LED PLATE 25W 700mA
	D
LED	CRI>90
Driver	Constant Current 700 mA 110~240 V 50/60 Hz
	LED IP64 Multi-volt 50-60Hz
	4062_ _ / 10: On/Off
Remarks	Portable version
Application	Outdoor
Packaging	4 Box 1.25 m x 1.25 m x 0.735 m Gross weigth 126 kg Net weigth 113.66 kg Vol. 2.0546 m3


Lighting effect


Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data





Efficiency	29.95 lm/W
Coordinate System	CG
Total Flux	1886.20 lm
Maximum Value	865.52 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T+34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Wind


DesignBy JordiVilardell

WIND is a floor lamp with fibreglass shade and an avant-garde look. It is suitable for both interior and exterior. Designed by Jordi Vilardell.

Model Sheet







Finish	27 Sand NCS S 1505-Y50R
	61 Ocre Red NCS S 3050-Y60R
	53 Green M1 NCS S 6005-G80Y
LED	2700 K
Control	On / Off
Electrical connection	Surface
Light source	1 x LED PLATE 25W 700mA
Light source	1 x LED PLATE 25W 700mA
	D
LED	CRI>90 3480 lm 139.2
Driver	Constant Current 700 mA 100~240 V 50/60 Hz
	LED IP64 Bi-volt 50-60Hz
Remarks	Portable version
Application	Outdoor
Packaging	3 Box 0.64 m x 0.6 m x 2.11 m Gross weigth 47.2 kg Net weigth 42.48 kg Vol. 1.1365 m3


Lighting effect


Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data





Efficiency	30.28 lm/W
Coordinate System	CG
Total Flux	772.57 lm
Maximum Value	318.16 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés4-6,08850Gavà. Barcelona, Spain.

International T+34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com