io 265

astro

GENERAL

LO C ATION:	Bathroom
CL A SS:	CE (Class II)
IP RATING:	IP44
BATHROOM ZONE:	Zone 2, 3
DRIVER REQUIRED:	No
INSTALLATION ORIENTATION:	Wall Mount
MAIN MATERIAL:	Glass - Borosilicate
DIMENSIONS (mm):	H: 265 W: 80 D: 134
CUT OUT HOLE (mm):	-
RECESS DEPTH (mm):	-
FIRE RATING:	-
CABLE LENGTH (mm):	-
GROSS WEIGHT (kg):	1.7



CODE: 1409054
FINISH:CLEAR GLASS

LAMP

LIGHT SOURCE:	Mid-Power LED
WATTAGE:	4.9W
LAMP INCLUDED:	Yes (Integral)
MAXIMUM LAMP LENGTH (mm):	-
LUMINOUS FLUX (lm):	403
COLOUR TEMP (K):	3000
CRI (Ra):	90
MACADAM ELLIPSE:	3-Step
TILT ADJUSTABLE ANGLE (°):	-
ROTATION ADJUSTABLE ANGLE (°):	-
LIFETIME (hrs):	54000
BEAM ANGLE (°):	52

ELECTRICAL

SWITCHED:	No
DIMMABLE:	Yes
DIMMING METHOD:	Phase - Trailing Edge
SUPPLY FREQUENCY (Hz):	50/60
DRIVER / BALLAST VOLTAGE (V):	220-240
DRIVER LIFETIME (hrs):	50000
EFFICACY (lm/W):	82

ADDITIONAL INFORMATION

SHADE INCLUDED:	-
SHADE / DIFFUSER MATERIAL:	Glass
SHADE / DIFFUSER FINISH	Clear Glass
F MARK:	Suitable for mounting on flammable materials

TO MAINTAIN THIS PRODUCT TO ITS BEST CONDITION, PLEASE VIEW OUR CARE AND CLEANING GUIDE ON THE SUPPORT SECTION OF THE ASTRO WEBSITE.


Pour entretenir au mieux ce produit, veuillez consulter notre guide d'entretien et de nettoyage, dans la rubrique d'aide sur le site Web d'Astro.


Um dieses Produkt im besten Zustand zu erhalten, beachten Sie bitte unseren Leitfaden zu Pflege und Reinigung im Abschnitt „Support" auf der Astro-Website.


Per mantenere questo prodotto nelle sue migliori condizioni, consultare la nostra guida per la manutenzione e la pulizia nella sezione dedicata all'assistenza del sito Web Astro.


PRODUCT ELEVATIONS

astro









Please note that some dimensions may vary slightly due to manufacturing tolerances, this includes cable entry and fixing holes

Veuillez noter que certaines dimensions peuvent varier légèrement en raison des tolérances de fabrication, y compris l'entrée de câble et les trous de fixation.

Bitte beachten Sie, dass die Maße Fertigungstoleranzen unterliegen und daher in geringem Umfang von der angegebenen Größe abweichen können. Dies gilt auch für Kabeleingänge und Befestigungslöcher.

Si prega notare che possono esserci piccole variazioni in alcune dimensioni dovute alle tolleranze di produzione, queste includono l'ingresso del cavo e i fori di fissaggio.

CE

io 420

astro

General

Location:	Bathroom
Class:	CE (Class II)
Ip Rating:	IP44
Bathroom Zone:	Zone 2, 3
Driver Required:	No
Installation Orientation:	Wall Mount
Main Material:	Metal - Zinc
Dimensions (mm):	H: 420 W: 80 D: 134
Cut Out Hole :	-
Recess Depth (mm): Fire Rating:	-
Cable Length (mm):	-
Gross Weight (kg):	2.16



CODE: 1409055
FINISH:POLISHED CHROME



CODE: 1409056
FINISH : MATT BLACK



CODE: 1409057
FINISH : MATT GOLD

Lamp

Light Source:	Mid-Power LED
Wattage:	6.5W
Lamp Included:	Yes (Integral)
Maximum Lamp Length (mm):	-
Luminous Flux (lm):	469
Colour Temp (K):	3000
Cri (Ra):	90
Macadam Ellipse:	3-Step
Tilt Adjustable Angle (°):	-
Rotation Adjustable Angle (°):	-
Lifetime (hrs):	54000
Beam Angle (°):	51

Electrical

Switched:	No
Dimmable:	Yes
Dimming Method:	Phase - Trailing Edge
Supply Frequency (Hz):	50/60
Driver / Ballast Voltage (V):	220-240
Driver Lifetime (hrs):	50000
Efficacy (lm/W):	93

Additional Information:

Shade Included:	-
Shade / Diffuser Material:	Glass
Shade / Diffuser Finish:	Clear
F Mark:	Suitable for mounting on flammable materials

To maintain this product to its best condition, please view our care and cleaning guide on the support section of the astro website.


Pour entretenir au mieux ce produit, veuillez consulter notre guide d'entretien et de nettoyage, dans la rubrique d'aide sur le site Web d'Astro.


Um dieses Produkt im besten Zustand zu erhalten, beachten Sie bitte unseren Leitfaden zu Pflege und Reinigung im Abschnitt „Support" auf der Astro-Website.


Per mantenere questo prodotto nelle sue migliori condizioni, consultare la nostra guida per la manutenzione e la pulizia nella sezione dedicata all'assistenza del sito Web Astro.


Product Elevations

astro









Please note that some dimensions may vary slightly due to manufacturing tolerances, this includes cable entry and fixing holes

Veuillez noter que certaines dimensions peuvent varier légèrement en raison des tolérances de fabrication, y compris l'entrée de câble et les trous de fixation.

Bitte beachten Sie, dass die Maße Fertigungstoleranzen unterliegen und daher in geringem Umfang von der angegebenen Größe abweichen können. Dies gilt auch für Kabeleingänge und Befestigungslöcher.

Si prega notare che possono esserci piccole variazioni in alcune dimensioni dovute alle tolleranze di produzione, queste includono l'ingresso del cavo e i fori di fissaggio.

UK CA CE

io 665

astro

General

Location:	Bathroom
Class:	CE (Class II)
Ip Rating:	IP44
Bathroom Zone:	Zone 2, 3
Driver Required:	No
Installation Orientation:	Wall Mount
Main Material:	Metal - Zinc
Dimensions (mm):	H: 665 W: 80 D: 134
Cut Out Hole :	-
Recess Depth (mm): Fire Rating:	-
Cable Length (mm):	-
Gross Weight (kg):	2.83



CODE: 1409058
FINISH:POLISHED CHROME



CODE: 1409059
FINISH : MATT BLACK



CODE: 1409060
FINISH : MATT GOLD

Lamp

Light Source:	Mid-Power LED
Wattage:	8.2W
Lamp Included:	Yes (Integral)
Maximum Lamp Length (mm):	-
Luminous Flux (lm):	725
Colour Temp (K):	3000
Cri (Ra):	90
Macadam Ellipse:	3-Step
Tilt Adjustable Angle (°):	-
Rotation Adjustable Angle (°):	-
Lifetime (hrs):	54000
Beam Angle (°):	53

Electrical

Switched:	No
Dimmable:	Yes
Dimming Method:	Phase - Trailing Edge
Supply Frequency (Hz):	50/60
Driver / Ballast Voltage (V):	220-240
Driver Lifetime (hrs):	50000
Efficacy (lm/W):	101

Additional Information:

Shade Included:	-
Shade / Diffuser Material:	Glass
Shade / Diffuser Finish:	Clear
F Mark:	Suitable for mounting on flammable materials

To maintain this product to its best condition, please view our care and cleaning guide on the support section of the astro website.


Pour entretenir au mieux ce produit, veuillez consulter notre guide d'entretien et de nettoyage, dans la rubrique d'aide sur le site Web d'Astro.


Um dieses Produkt im besten Zustand zu erhalten, beachten Sie bitte unseren Leitfaden zu Pflege und Reinigung im Abschnitt „Support" auf der Astro-Website.


Per mantenere questo prodotto nelle sue migliori condizioni, consultare la nostra guida per la manutenzione e la pulizia nella sezione dedicata all'assistenza del sito Web Astro.


Product Elevations

astro









Please note that some dimensions may vary slightly due to manufacturing tolerances, this includes cable entry and fixing holes

Veuillez noter que certaines dimensions peuvent varier légèrement en raison des tolérances de fabrication, y compris l'entrée de câble et les trous de fixation.

Bitte beachten Sie, dass die Maße Fertigungstoleranzen unterliegen und daher in geringem Umfang von der angegebenen Größe abweichen können. Dies gilt auch für Kabeleingänge und Befestigungslöcher.

Si prega notare che possono esserci piccole variazioni in alcune dimensioni dovute alle tolleranze di produzione, queste includono l'ingresso del cavo e i fori di fissaggio.

UK CA CE